



# **MOTORTRAC**<sup>®</sup> by **WELLS CARGO**

*Never Look Back!*



**RACING SERIES**

**TRAILERS**

# 1000 **RACING SERIES**

(800) 348-7553

www.wells Fargo.com



**Standard Interior Floor and Sidewall Liner**

## **VALUE DRIVEN PERFORMANCE!**

The **MotorTrac 1000 Racing Series** offers exceptional value for the racer looking for an entry-level car hauler. The 1000 Series sports the traditional flat-roof profile, the popular choice for those who consider the track to be their weekend home. Whatever your style of racing may be, the 1000 Series delivers impressive features, functional styling, and minimal maintenance — priced just right for the racer on a budget.



Features optional ABS Hubcovers & Chrome Wheel Liners.


# Standard Features



- Rear Ramp Door with Dual Spring Assist Cables
- Plywood Ramp Toe Extension
- Rear Swing Down Stabilizer Jacks
- Reinforced 4' Recessed Beavertail
- 36" Side Door with Full-Length Cam Lock
- Recessed Interior Step at Side Door
- 3/4" Exterior Grade Plywood Floor (undercoated)
- 1/4" Plywood Interior Sidewall Liner
- 12-Volt Dome Lights (2) with Wall Switch
- Sealed Beam Oval Tail Lights
- 18" ATP Stone Guard with Integrated Corners
- Smooth Aluminum Fenderettes
- .030 Prefinished Aluminum Exterior Skin (11 colors)
- Non-Corrosive Mechanical Fasteners
- Galvanized Steel Roof
- Tubular Steel Main Rails
- Full Height C-Channel Crossmembers & Outriggers
- Chassis Fully Primed and Painted Silver
- 3-Piece A-Frame with 2<sup>5</sup>/<sub>16</sub>" Ball Coupler Hitch
- Top Crank Jack Ram Hoist with Sand Pad
- D.O.T. Compliant Safety Chains with Clevis Slip Hook & Latch
- Torflex® Rubber Torsion Tandem Axles (10° Up Trailing)
- E-Z Lube Hubs
- 15" Bias Belted Tires on Silver Mod Wheels
- Electric Brakes (10,000 lb. GAWR and higher feature Nev-R-Adjust Brakes)
- Wet Cell Battery Breakaway System
- 7-way Pigtail Connector
- Flared Stripe Racing Graphics (choice of red, black or blue)



**V-Front Dimensions**



**MT 1000** is also available in a V-Front model. Shown with optional Anodized Nose and Wells Cargo Safety Package.



# 2000 **RACING SERIES**

(800) 348-7553

www.wellscargo.com



## **A FLAIR FOR THE DRAMATIC!**

The **MotorTrac 2000 Racing Series** features our exclusive fiberglass Turbo Caps that say “racing” and the Wells Cargo name that always means “quality”. Yes, you can have both! Quality isn’t just an afterthought. It’s a continuous process that starts at the drawing



**Featuring TURN 2 “Base” Package Upgrade & optional ATP Runners**



# Standard Features



board, is embraced during the manufacturing process, and ends with your satisfaction. We took our 50+ years of experience and designed a trailer that consistently delivers hassle-free performance and long lasting dependability. Leaving you more time to focus on higher priorities . . . like winning! The 2000 Series is available in both ball hitch and gooseneck models.



Features optional bonded exterior (smooth appearance).

- Rear Ramp Door with Dual Spring Assist Cables
- Rear Cornerpost Stabilizer Jacks
- Reinforced 4' Recessed Beavertail
- 36" Side Door with Rotary Style Flush Lock
- Recessed Interior Step at Side Door
- 3/4" Exterior Grade Plywood Floor (*undercoated*)
- 1/4" Plywood Interior Sidewall Liner
- 12-Volt Dome Lights (2) with Wall Switch
- LED Wraparound Stop/Tail/Turn Lights
- LED Clearance Lights
- 24" ATP Stone Guard with Integrated Corners
- Front & Rear Fiberglass Turbo Caps
- Aluminum Fenderettes
- .030 Prefinished Aluminum Exterior Skin (*11 colors*)
- Non-Corrosive Mechanical Fasteners
- Seamless Aluminum Roof
- Tubular Steel Main Rails
- Full Height C-Channel Crossmembers & Outriggers
- Chassis Fully Undercoated with CPC (*Corrosion Preventative Compound*)
- 3-Piece A-Frame with 2<sup>5</sup>/<sub>16</sub>" Ball Coupler Hitch
- Top Crank Jack Ram Hoist with Sand Pad
- D.O.T. Compliant Safety Chains with Clevis Slip Hook & Latch
- Torflex® Rubber Torsion Tandem Axles (*10° Up Trailing*)
- E-Z Lube Hubs
- 15" Radial Tires on Silver Spoke Wheels
- Electric Brakes (*10,000 lb. GAWR and higher feature Nev-R-Adjust Brakes*)
- Wet Cell Battery Breakaway System
- 7-way Pigtail Connector



# 4000 **RACING SERIES**

(800) 348-7553

www.wells Fargo.com



**Standard Interior Floor and Sidewall Liner**

## ***FULL THROTTLE TRAILERING!***

The anticipation of the green flag. The thrill of a daring pass. The exhilaration of taking the checkered flag. All your hard work and long hours rewarded by winning. That dream can quickly disappear by an equipment failure.



# Standard Features



That's why successful racers are constantly searching for superior performance. Whether racing is your hobby or your business, it makes sense to only use top-notch equipment. The same holds true for your trailer. Not just any trailer, but our flagship **MotorTrac 4000 Racing Series**. The 4000 Series is available in both ball hitch and gooseneck models.



- Recessed Rear Ramp Door with Dual Spring Assist Cables
- Rear Cornerpost Stabilizer Jacks
- Reinforced 4' Recessed Beavertail
- 36" Side Door with Rotary Style Flush Lock
- Recessed Interior Step at Side Door
- 3/4" Exterior Grade Plywood Floor (undercoated)
- 1/4" White Vinyl Interior Sidewall Liner and Ceiling Liner
- 12-Volt Dome Lights (2) with Wall Switch
- LED Wraparound Stop/Tail/Turn Lights
- LED Clearance Lights
- LED Safety Package (High Profile Brake Lights & Side Turn Indicators)
- 24" ATP Stone Guard with Integrated Corners
- Cast Aluminum Front/Rear Corner Caps
- Polished Stainless Steel Front Cap
- Bright Anodized Aluminum Front/Rear Corner Covers
- Aluminum Fenderettes
- .040 Prefinished Aluminum Exterior Skin (3 colors - white, red & black)
- Bonded Exterior (Smooth Appearance)
- Seamless Aluminum Roof
- Tubular Steel Main Rails
- Full Height C-Channel Crossmembers & Outriggers
- Chassis Fully Undercoated with CPC (Corrosion Preventative Compound)
- 3-Piece A-Frame with 2<sup>5</sup>/<sub>16</sub>" Ball Coupler Hitch
- Top Crank Jack Ram Hoist with Sand Pad
- D.O.T. Compliant Safety Chains with Clevis Slip Hook & Latch
- Torflex® Rubber Torsion Tandem Axles (10° Up Trailing)
- E-Z Lube Hubs
- 15" Radial Tires on AlumaSport Aluminum Wheels
- Electric Brakes (10,000 lb. GAWR and higher feature Nev-R-Adjust Brakes)
- Wet Cell Battery Breakaway System
- 7-way Pigtail Connector



# "TURN" PACKAGES



Interior Accommodations (Turn 2 Deluxe & Turn 4 Deluxe)



Ramp Door Extension (Turn 2 Deluxe & Turn 4 Deluxe)



Anodized Corner Caps (Turn 2 Base & Turn 2 Deluxe)



5000 lb. D-Ring Tie-Downs (All Turn Packages)



AlumaSport Aluminum Wheel (Turn 2 Deluxe)



12 Volt Dome Light with Wall Switch (All Turn Packages)

## TURN 2 BASE PACKAGE

(Available on 2000 Racing Series only)

Package Includes:

- 7'0" Interior Height
- Cover Ramp Door with Aluminum Tread Plate
- One piece Vinyl Flooring
- 5000 lb. D-Ring Tie-Downs (4)
- 1/4" White Vinyl Covered Luan Sidewall Liner
- 1/4" White Vinyl Covered Luan Ceiling Liner
- 12-Volt Dome Light
- 4' Fluorescent Light Fixtures (2)
- 120-Volt Wall Switch
- 30 AMP, 120-Volt 4 Circuit Service Panel with Breakers, 25' Shoreline and Cable Hatch
- 120-Volt Duplex Wall Receptacle (3)
- Anodized Aluminum Front Corner Cap
- Anodized Aluminum Rear End (Includes Corner Cap, Top Header and Bottom Crossmember)

## TURN 2 DELUXE PACKAGE

(Available on 2000 Racing Series only)

Package Includes:

- Sub-Floor Spare Tire Carrier
- 7'0" Interior Height
- AlumaSport 15" Aluminum Wheels
- Cover Ramp Door with Aluminum Tread Plate
- Cover Floor with Aluminum Tread Plate
- Extruded Aluminum Ramp Door Extension
- 5000 lb. D-Ring Tie-Downs (4)
- White Aluminum Laminated to 1/4" Luan Sidewall Liner
- White Aluminum Laminated to 1/4" Luan Ceiling Liner
- Insulate Sidewalls, Ends and Ceiling with R-5
- Workbench with Overhead Cabinet
- 12-Volt Dome Light
- 4' Fluorescent Light Fixtures (4)
- 500-Watt Flood Lights Mounted in a Heavy Duty Cast Aluminum Housing (2)
- 12-Volt Wall Switch
- 120-Volt Wall Switch
- 30 AMP, 120-Volt 4 Circuit Service Panel with Breakers, 25' Shoreline and Cable Hatch
- 120-Volt Duplex Wall Receptacle (3)
- Anodized Aluminum Front Corner Cap
- Anodized Aluminum Rear End (Includes Corner Cap, Top Header and Bottom Crossmember)

## TURN 4 DELUXE PACKAGE

(Available on 4000 Racing Series only)

Package Includes:

- Sub-Floor Spare Tire Carrier
- 7'0" Interior Height
- Cover Ramp Door with Aluminum Tread Plate
- Cover Floor with Aluminum Tread Plate
- Extruded Aluminum Ramp Door Extension
- 5000 lb. D-Ring Tie-Downs (4)
- White Aluminum Laminated to 1/4" Luan Sidewall Liner
- White Aluminum Laminated to 1/4" Luan Ceiling Liner
- Insulate Sidewalls, Ends and Ceiling with R-5
- Workbench with Overhead Cabinet
- 12-Volt Dome Lights (3)
- 4' Fluorescent Light Fixtures (4)
- 500-Watt Flood Lights Mounted in a Heavy Duty Cast Aluminum Housing (2)
- 12-Volt Wall Switch (2)
- 120-Volt Wall Switch (2)
- 30 AMP, 120-Volt 4 Circuit Service Panel with Breakers, 25' Shoreline and Cable Hatch
- 120-Volt Duplex Wall Receptacle (3)

# CUSTOMIZING OPTIONS



Sub-Floor Spare Tire Carrier



Roof Top Observation Platform with Safety Railing



Halogen Flood Light



Radius Tinted Windows



Roll-Out Awning — B/W Checked



Halogen Backup Light



Permanent Aluminum Ladder

# SPECIFICATIONS

## MotorTrac 1000

MODEL	Body Length	Body Width	Overall Length	Overall Width	Overall Height	Interior Length	Interior Width	Interior Height	Wheel Box Clearance	Platform Height	# of Axles	Tire Size/ Load Range	Wheel Bolt Pattern	Hitch Height
MT2022W-1000	20'0"	98 <sup>1</sup> / <sub>4</sub> "	24'0"	102"	8'7"	19'9"	7'11"	6'8"	81"	17"	2	15"/C	5-Bolt/4.5	19"
MT2422W-1000	24'0"	98 <sup>1</sup> / <sub>4</sub> "	28'0"	102"	8'7"	23'9"	7'11"	6'8"	81"	17"	2	15"/C	5-Bolt/4.5	19"
MT2024W-1000	20'0"	98 <sup>1</sup> / <sub>4</sub> "	24'0"	102"	8'7"	19'9"	7'11"	6'8"	81"	17"	2	15"/D	6-Bolt/5.5	19"
MT2424W-1000	24'0"	98 <sup>1</sup> / <sub>4</sub> "	28'0"	102"	8'7"	23'9"	7'11"	6'8"	81"	17"	2	15"/D	6-Bolt/5.5	19"

## MotorTrac 2000

MODEL	Body Length	Body Width	Overall Length	Overall Width	Overall Height	Interior Length	Interior Width	Interior Height	Wheel Box Clearance	Platform Height	# of Axles	Tire Size/ Load Range	Wheel Bolt Pattern	Hitch Height
MT1822W-2000	18'0"	98 <sup>1</sup> / <sub>4</sub> "	22'0"	102"	8'5"	17'9"	7'11"	6'6"	81"	17"	2	15"/C	5-Bolt/4.5	19"
MT2022W-2000	20'0"	98 <sup>1</sup> / <sub>4</sub> "	24'0"	102"	8'5"	19'9"	7'11"	6'6"	81"	17"	2	15"/C	5-Bolt/4.5	19"
MT2222W-2000	22'0"	98 <sup>1</sup> / <sub>4</sub> "	26'0"	102"	8'5"	21'9"	7'11"	6'6"	81"	17"	2	15"/C	5-Bolt/4.5	19"
MT2422W-2000	24'0"	98 <sup>1</sup> / <sub>4</sub> "	28'0"	102"	8'5"	23'9"	7'11"	6'6"	81"	17"	2	15"/C	5-Bolt/4.5	19"
MT1824W-2000	18'0"	98 <sup>1</sup> / <sub>4</sub> "	22'0"	102"	8'5"	17'9"	7'11"	6'6"	81"	17"	2	15"/D	6-Bolt/5.5	19"
MT2024W-2000	20'0"	98 <sup>1</sup> / <sub>4</sub> "	24'0"	102"	8'5"	19'9"	7'11"	6'6"	81"	17"	2	15"/D	6-Bolt/5.5	19"
MT2224W-2000	22'0"	98 <sup>1</sup> / <sub>4</sub> "	26'0"	102"	8'5"	21'9"	7'11"	6'6"	81"	17"	2	15"/D	6-Bolt/5.5	19"
MT2424W-2000	24'0"	98 <sup>1</sup> / <sub>4</sub> "	28'0"	102"	8'5"	23'9"	7'11"	6'6"	81"	17"	2	15"/D	6-Bolt/5.5	19"
MT2624W-2000	26'0"	98 <sup>1</sup> / <sub>4</sub> "	30'0"	102"	8'5"	25'9"	7'11"	6'6"	81"	17"	2	15"/D	6-Bolt/5.5	19"
MT2824W-2000	28'0"	98 <sup>1</sup> / <sub>4</sub> "	32'0"	102"	8'7"	27'9"	7'11"	6'6"	81"	17"	2	15"/D	6-Bolt/5.5	21"
MT3224W-2000	32'0"	98 <sup>1</sup> / <sub>4</sub> "	36'0"	102"	8'7"	31'9"	7'11"	6'6"	81"	17"	2	15"/D	6-Bolt/5.5	21"

## MotorTrac 2000 Gooseneck

MODEL	Body Length	Body Width	Overall Length	Overall Width	Overall Height	Interior Length Deck	Interior Length Loft	Interior Width	Interior Height Deck	Interior Height Loft*	Wheel Box Clearance	Platform Height	# of Axles	Tire Size/ Load Range	Wheel Bolt Pattern	Hitch Height*
MTG2825W-2000	28'0"	98 <sup>1</sup> / <sub>4</sub> "	28'0"	102"	8'8"	19'10"	7'11"	7'11"	6'6"	32"	80"	20"	2	16"/D	8-Bolt/6.5	30"-38"
MTG3225W-2000	32'0"	98 <sup>1</sup> / <sub>4</sub> "	32'0"	102"	8'8"	23'10"	7'11"	7'11"	6'6"	32"	80"	20"	2	16"/D	8-Bolt/6.5	30"-38"
MTG3625W-2000	36'0"	98 <sup>1</sup> / <sub>4</sub> "	36'0"	102"	8'8"	27'10"	7'11"	7'11"	6'6"	32"	80"	20"	2	16"/D	8-Bolt/6.5	30"-38"
MTG4025W-2000	40'0"	98 <sup>1</sup> / <sub>4</sub> "	40'0"	102"	8'8"	31'10"	7'11"	7'11"	6'6"	32"	80"	20"	2	16"/D	8-Bolt/6.5	30"-38"
MTG4425W-2000	44'0"	98 <sup>1</sup> / <sub>4</sub> "	44'0"	102"	8'8"	35'10"	7'11"	7'11"	6'6"	32"	80"	20"	2	16"/D	8-Bolt/6.5	30"-38"
MTG4825W-2000	48'0"	98 <sup>1</sup> / <sub>4</sub> "	48'0"	102"	8'8"	39'10"	7'11"	7'11"	6'6"	32"	80"	20"	2	16"/D	8-Bolt/6.5	30"-38"
MTG2839W-2000	28'0"	98 <sup>1</sup> / <sub>4</sub> "	28'0"	102"	8'8"	19'10"	7'11"	7'11"	6'6"	32"	80"	20"	3	16"/D	8-Bolt/6.5	30"-38"
MTG3239W-2000	32'0"	98 <sup>1</sup> / <sub>4</sub> "	32'0"	102"	8'8"	23'10"	7'11"	7'11"	6'6"	32"	80"	20"	3	16"/D	8-Bolt/6.5	30"-38"
MTG3639W-2000	36'0"	98 <sup>1</sup> / <sub>4</sub> "	36'0"	102"	8'8"	27'10"	7'11"	7'11"	6'6"	32"	80"	20"	3	16"/D	8-Bolt/6.5	30"-38"
MTG4039W-2000	40'0"	98 <sup>1</sup> / <sub>4</sub> "	40'0"	102"	8'8"	31'10"	7'11"	7'11"	6'6"	32"	80"	20"	3	16"/D	8-Bolt/6.5	30"-38"
MTG4439W-2000	44'0"	98 <sup>1</sup> / <sub>4</sub> "	44'0"	102"	8'8"	35'10"	7'11"	7'11"	6'6"	32"	80"	20"	3	16"/D	8-Bolt/6.5	30"-38"
MTG4839W-2000	48'0"	98 <sup>1</sup> / <sub>4</sub> "	48'0"	102"	8'8"	39'10"	7'11"	7'11"	6'6"	32"	80"	20"	3	16"/D	8-Bolt/6.5	30"-38"

## MotorTrac 4000

MODEL	Body Length	Body Width	Overall Length	Overall Width	Overall Height	Interior Length	Interior Width	Interior Height	Wheel Box Clearance	Platform Height	# of Axles	Tire Size/ Load Range	Wheel Bolt Pattern	Hitch Height
MT2024W-4000	20'0"	98 <sup>1</sup> / <sub>4</sub> "	24'0"	102"	8'5"	19'9"	7'11"	6'6"	81"	17"	2	15"/D	6-Bolt/5.5	19"
MT2424W-4000	24'0"	98 <sup>1</sup> / <sub>4</sub> "	28'0"	102"	8'5"	23'9"	7'11"	6'6"	81"	17"	2	15"/D	6-Bolt/5.5	19"
MT2624W-4000	26'0"	98 <sup>1</sup> / <sub>4</sub> "	30'0"	102"	8'5"	25'9"	7'11"	6'6"	81"	17"	2	15"/D	6-Bolt/5.5	19"
MT2824W-4000	28'0"	98 <sup>1</sup> / <sub>4</sub> "	32'0"	102"	8'7"	27'9"	7'11"	6'6"	81"	18"	2	15"/D	6-Bolt/5.5	21"
MT3224W-4000	32'0"	98 <sup>1</sup> / <sub>4</sub> "	36'0"	102"	8'7"	31'9"	7'11"	6'6"	81"	18"	2	15"/D	6-Bolt/5.5	21"

## MotorTrac 4000 Gooseneck

MODEL	Body Length	Body Width	Overall Length	Overall Width	Overall Height	Interior Length Deck	Interior Length Loft	Interior Width	Interior Height Deck	Interior Height Loft*	Wheel Box Clearance	Platform Height	# of Axles	Tire Size/ Load Range	Wheel Bolt Pattern	Hitch Height*
MTG2825W-4000	28'0"	98 <sup>1</sup> / <sub>4</sub> "	28'0"	102"	8'8"	19'10"	7'11"	7'11"	6'6"	32"	80"	20"	2	16"/D	8-Bolt/6.5	30"-38"
MTG3225W-4000	32'0"	98 <sup>1</sup> / <sub>4</sub> "	32'0"	102"	8'8"	23'10"	7'11"	7'11"	6'6"	32"	80"	20"	2	16"/D	8-Bolt/6.5	30"-38"
MTG3625W-4000	36'0"	98 <sup>1</sup> / <sub>4</sub> "	36'0"	102"	8'8"	27'10"	7'11"	7'11"	6'6"	32"	80"	20"	2	16"/D	8-Bolt/6.5	30"-38"
MTG4025W-4000	40'0"	98 <sup>1</sup> / <sub>4</sub> "	40'0"	102"	8'8"	31'10"	7'11"	7'11"	6'6"	32"	80"	20"	2	16"/D	8-Bolt/6.5	30"-38"
MTG4425W-4000	44'0"	98 <sup>1</sup> / <sub>4</sub> "	44'0"	102"	8'8"	35'10"	7'11"	7'11"	6'6"	32"	80"	20"	2	16"/D	8-Bolt/6.5	30"-38"
MTG4825W-4000	48'0"	98 <sup>1</sup> / <sub>4</sub> "	48'0"	102"	8'8"	39'10"	7'11"	7'11"	6'6"	32"	80"	20"	2	16"/D	8-Bolt/6.5	30"-38"
MTG2839W-4000	28'0"	98 <sup>1</sup> / <sub>4</sub> "	28'0"	102"	8'8"	19'10"	7'11"	7'11"	6'6"	32"	80"	20"	3	16"/D	8-Bolt/6.5	30"-38"
MTG3239W-4000	32'0"	98 <sup>1</sup> / <sub>4</sub> "	32'0"	102"	8'8"	23'10"	7'11"	7'11"	6'6"	32"	80"	20"	3	16"/D	8-Bolt/6.5	30"-38"
MTG3639W-4000	36'0"	98 <sup>1</sup> / <sub>4</sub> "	36'0"	102"	8'8"	27'10"	7'11"	7'11"	6'6"	32"	80"	20"	3	16"/D	8-Bolt/6.5	30"-38"
MTG4039W-4000	40'0"	98 <sup>1</sup> / <sub>4</sub> "	40'0"	102"	8'8"	31'10"	7'11"	7'11"	6'6"	32"	80"	20"	3	16"/D	8-Bolt/6.5	30"-38"
MTG4439W-4000	44'0"	98 <sup>1</sup> / <sub>4</sub> "	44'0"	102"	8'8"	35'10"	7'11"	7'11"	6'6"	32"	80"	20"	3	16"/D	8-Bolt/6.5	30"-38"
MTG4839W-4000	48'0"	98 <sup>1</sup> / <sub>4</sub> "	48'0"	102"	8'8"	39'10"	7'11"	7'11"	6'6"	32"	80"	20"	3	16"/D	8-Bolt/6.5	30"-38"

All specifications and standard features subject to change without notice.

### MotorTrac 1000

Hitch Weight	Curb Weight	GVWR	GAWR	Average Payload Capacity	Rear Door Width	Rear Door Height	Limited Warranty
10-15%	3180	7000	7000	3820	87"	77"	3-Year
10-15%	3555	7000	7000	3445	87"	77"	3-Year
10-15%	3450	10,000	10,000	6550	87"	77"	3-Year
10-15%	3805	10,000	10,000	6195	87"	77"	3-Year

### MotorTrac 2000

Hitch Weight	Curb Weight	GVWR	GAWR	Average Payload Capacity	Rear Door Width	Rear Door Height	Limited Warranty
10-15%	3100	7700	7000	4600	90 1/2"	78"	6-Year
10-15%	3300	7700	7000	4400	90 1/2"	78"	6-Year
10-15%	3500	7700	7000	4200	90 1/2"	78"	6-Year
10-15%	3700	7700	7000	4000	90 1/2"	78"	6-Year
10-15%	3300	10,000	10,000	6700	90 1/2"	78"	6-Year
10-15%	3500	10,000	10,000	6500	90 1/2"	78"	6-Year
10-15%	3700	10,000	10,000	6300	90 1/2"	78"	6-Year
10-15%	3900	10,000	10,000	6100	90 1/2"	78"	6-Year
10-15%	4100	10,000	10,000	5900	90 1/2"	78"	6-Year
10-15%	4600	10,000	10,000	5400	90 1/2"	79"	6-Year
10-15%	4800	10,000	10,000	5200	90 1/2"	79"	6-Year

### MotorTrac 2000 Gooseneck

Hitch Weight	Curb Weight	GVWR	GAWR	Average Payload Capacity	Rear Door Width	Rear Door Height	Limited Warranty
25%	4600	14,700	12,000	10,100	90 1/2"	80"	6-Year
25%	5100	14,700	12,000	9600	90 1/2"	80"	6-Year
25%	5600	14,700	12,000	9100	90 1/2"	80"	6-Year
25%	6100	14,700	12,000	8600	90 1/2"	80"	6-Year
25%	6600	14,700	12,000	8100	90 1/2"	80"	6-Year
25%	7100	14,700	12,000	7600	90 1/2"	80"	6-Year
25%	5000	22,500	18,000	17,500	90 1/2"	80"	6-Year
25%	5500	22,500	18,000	17,000	90 1/2"	80"	6-Year
25%	6000	22,500	18,000	16,500	90 1/2"	80"	6-Year
25%	6500	22,500	18,000	16,000	90 1/2"	80"	6-Year
25%	7000	22,500	18,000	15,500	90 1/2"	80"	6-Year
25%	7500	22,500	18,000	15,000	90 1/2"	80"	6-Year

### MotorTrac 4000

Hitch Weight	Curb Weight	GVWR	GAWR	Average Payload Capacity	Rear Door Width	Rear Door Height	Limited Warranty
10-15%	3750	11,000	10,000	7250	90 1/2"	78"	6-Year
10-15%	4150	11,000	10,000	6850	90 1/2"	78"	6-Year
10-15%	4350	11,000	10,000	6650	90 1/2"	78"	6-Year
10-15%	4850	11,000	10,000	6150	90 1/2"	78"	6-Year
10-15%	5250	11,000	10,000	5750	90 1/2"	78"	6-Year












### MotorTrac 4000 Gooseneck

Hitch Weight	Curb Weight	GVWR	GAWR	Average Payload Capacity	Rear Door Width	Rear Door Height	Limited Warranty
25%	4900	14,700	12,000	9800	90 1/2"	80"	6-Year
25%	5400	14,700	12,000	9300	90 1/2"	80"	6-Year
25%	5900	14,700	12,000	8800	90 1/2"	80"	6-Year
25%	6400	14,700	12,000	8300	90 1/2"	80"	6-Year
25%	6900	14,700	12,000	7800	90 1/2"	80"	6-Year
25%	7400	14,700	12,000	7300	90 1/2"	80"	6-Year
25%	5300	22,500	18,000	17,200	90 1/2"	80"	6-Year
25%	5800	22,500	18,000	16,700	90 1/2"	80"	6-Year
25%	6300	22,500	18,000	16,200	90 1/2"	80"	6-Year
25%	6800	22,500	18,000	15,700	90 1/2"	80"	6-Year
25%	7300	22,500	18,000	15,200	90 1/2"	80"	6-Year
25%	7800	22,500	18,000	14,700	90 1/2"	80"	6-Year



MotorTrac 2000 & MotorTrac 4000 are available in Gooseneck Hitch models

### Aluminum Exterior Colors

		
White**	Victory Red**	Black**
		
Pewter	Indigo Blue	Champagne
		
Brandywine	Beige	Charcoal Gray
		
Dove Gray	Dark Green	

Skin colors shown are representative only. See your dealer for accurate samples.

\* May vary with tow vehicle hitch requirements.

\*\*The only colors available on the MotorTrac 4000 (.040)

## Wells Cargo and Our Legacy of Engineering Leadership



Many people say that all enclosed trailers look pretty much alike. We consider that a compliment since it was Wells Cargo who pioneered the industry over 55 years ago. State-of-the-art takes on a whole new meaning when you compare the first trailer we built in 1954 with our product line today. Old "No. 1" looked pretty good back then, but we've come a long way since. Experience has made the difference and ours is unmatched. Our Research & Development facilities keep us the frontrunners of the industry. After thorough evaluation and comparison, we think you'll agree that Wells Cargo has earned our long standing reputation as the premium cargo trailer on the market and the best overall investment.

Rest assured that after you make the decision to buy a Wells Cargo, our commitment to you is not over. Our comprehensive "Never Look Back" Warranty Program is more than just words. It's about how quickly and responsibly we respond to your needs. It's the peace-of-mind you get knowing your investment is protected by an established company with a solid reputation. If our work or materials are at fault, we'll make it right. Any one of our six manufacturing facilities or our national network of professional dealers stand ready to service your trailer should the unlikely need arise.

**AUTHORIZED WELLS CARGO DEALER**

## Powerful 5-Star Line-Up

The MotorTrac racing series, our performance driven trailer featured in this catalog, is just one of five different model lines offered by Wells Cargo. With this extensive line-up, we are in a position to appeal to a wide range of customers and their unique cargo hauling needs. Each of our trailer brands has a distinctive personality and holds a special place in the Wells Cargo family. Visit your local authorized Wells Cargo dealer to get a firsthand look.



©Wells Cargo, Inc. 2006 LITHO USA Form MOTORTRAC 906R209

**(800) 348-7553**

**www.wellscargo.com**

**Elkhart, IN  
Carbondale, PA**

**Waco, TX  
Phoenix, AZ**

**Ogden, UT  
Waycross, GA**